- 26 -<u>EAST HAYNESVILLE FIELD</u> 09-1319

LEGAL NOTICE

STATE OF LOUISIANA, OFFICE OF CONSERVATION, BATON ROUGE, LOUISIANA.

In accordance with the laws of the State of Louisiana, and with particular reference to the provisions of Title 30 of Louisiana Revised Statutes of 1950, a public hearing will be held in the Hearing Room, 1st Floor, LaSalle Building, 617 North 3rd Street, Baton Rouge, Louisiana, at 9:00 a.m. on **TUESDAY**, **DECEMBER 1, 2009**, upon the application of **LIVE OAK ENERGY, INC**.

At such hearing the Commissioner of Conservation will consider evidence relative to the issuance of Orders pertaining to the following matters relating to the **Smackover A Zone**, in the East Haynesville Field, Claiborne Parish, Louisiana.

- 1. To permit the applicant to designate and utilize the Live Oak Energy, Inc.-J. Meadors Heirs No. 2 Well, as a substitute unit well for SMK A SUJ at the location shown on the plat submitted with the application, in exception to the well spacing provisions of Office of Conservation Order No. 105-C, effective August 29, 1949.
- 2. To explicitly find that the proposed substitute unit well is in the interest of conservation and is necessary to drain a portion of the Smackover A Zone, underlying SMK A SUJ, which cannot be efficiently and economically drained by any existing well in such unit.
- 3. To consider such other matters as may be pertinent.

The Smackover A Zone was fully defined in Order No. 105-C, effective August 29, 1949.

A plat is available for inspection in the Office of Conservation in **Baton Rouge** and **Shreveport**, Louisiana.

http://dnr.louisiana.gov/conshearings

All parties having interest therein shall take notice thereof.

BY ORDER OF:

JAMES H. WELSH COMMISSIONER OF CONSERVATION

Baton Rouge, LA 11/5/09;11/10/09 S lck

IF ACCOMMODATIONS ARE REQUIRED UNDER AMERICANS WITH DISABILITIES ACT, PLEASE ADVISE THE OFFICE OF CONSERVATION-ENGINEERING DIVISION AT P.O. BOX 94275, BATON ROUGE, LA 70804-9275 IN WRITING WITHIN FIVE (5) WORKING DAYS OF THE HEARING DATE.